

# Warehouse Trucks Product Overview

# JAC FORKLIFT

## A Electric Pallet Truck



Model: CBD12-III  
Load: capacity: 1200kg  
Overall fork width: 550/680mm  
Fork length: 1150mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 48V/20Ah



Model: CBD15-1 / CBD15-II  
Load: capacity: 1500kg  
Overall fork width: 560/685mm / 550/685mm  
Fork length: 1150mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 2x12V/65Ah / 2x12V/70Ah



Model: CBD15D  
Load: capacity: 1500kg  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 2x12V/65Ah



Model: CBD20-1  
Load: capacity: 2000kg  
Overall fork width: 550/685mm  
Fork length: 1150mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 24V/210Ah



Model: CBD20-1  
Load: capacity: 2000kg  
Overall fork width: 540/685mm  
Fork length: 1150/1220mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 2x12V/100Ah



Model: CBD20-1 / CBD25-1 / CBD30-1  
Load: capacity: 2000kg / 2500kg / 3000kg  
Overall fork width: 540/685mm  
Fork length: 1150/1220mm  
Max.fork lifting height: 200mm  
Battery voltage/capacity: 24V/210Ah



Model: CBD20-II / CBD25-II / CBD30-II  
Load: capacity: 2000kg / 2500kg / 3000kg  
Overall fork width: 550/685mm  
Fork length: 1150/1200mm  
Max.fork lifting height: 205mm  
Battery voltage/capacity: 24V/210Ah / 24V/270Ah / 24V/270Ah



Model: CBD35-II / CBD50-II  
Load: capacity: 3500kg / 5000kg  
Overall fork width: 680mm  
Fork length: 1212mm  
Max.fork lifting height: 230mm  
Battery voltage/capacity: 24V/360Ah

## B Electric Stacker



Model: CDD10-I  
Load: capacity: 1000kg  
Standard lift height: 1600mm  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Battery voltage/capacity: 2x12V/100Ah



Model: CDD10-II  
Load: capacity: 1000kg  
Standard lift height: 1600mm  
Overall fork width: 550/685mm  
Fork length: 1150/1200mm  
Battery voltage/capacity: 2x12V/70Ah



Model: CDD10-I / CDD15-I  
Load: capacity: 1000kg / 1500kg  
Standard lift height: 1600-3500mm / 1600-3500mm  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Battery voltage/capacity: 2x12V/100Ah



Model: CDD10-II  
Load: capacity: 1000kg  
Standard lift height: 2000-3300mm  
Overall fork width: 550/685mm  
Fork length: 1150mm  
Battery voltage/capacity: 2x12V/70Ah



Model: CDD10-I / CDD12-I / CDD15-I  
Load: capacity: 1000kg / 1200kg / 1500kg  
Standard lift height: 1600-4000mm  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Battery voltage/capacity: 24V/210Ah



Model: CDD12-II / CDD14-II / CDD16-II / CDD20-II  
Load: capacity: 1200kg / 1400kg / 1600kg / 2000kg  
Standard lift height: 2000-4000mm  
Overall fork width: 550-685mm  
Fork length: 1150mm  
Battery voltage/capacity: 24V/280Ah



Model: CDD15-I  
Load: capacity: 1500kg  
Standard lift height: 4000-5500mm / 4000-6000mm  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Battery voltage/capacity: 24V/280Ah / 24V/240Ah



Model: CDD15-I / CDD20-I  
Load: capacity: 1500kg / 2000kg  
Standard lift height: 2600-3600mm  
Overall fork width: 570/685mm  
Fork length: 1150mm  
Battery voltage/capacity: 24V/210Ah



Model: CDD20-I / CDD20-I Three-section gantry  
Load: capacity: 2000kg / 2000kg  
Standard lift height: 1600-4000mm / 4000-5000mm  
Overall fork width: 570/695mm  
Fork length: 1150mm  
Battery voltage/capacity: 24V/210Ah / 24V/280Ah

## C Semi Electric Stacker



Model: CDD10-I / CDD15-I / CDD20-I  
Load: capacity: 1000kg / 1500kg / 2000kg  
Standard lift height: 1600-3500mm / 1600-3500mm / 1600-3000mm  
Overall fork width: 550/640mm  
Fork length: 900/1100mm  
Battery voltage/capacity: 12V/120Ah

## D Electric Reach Stacker



Model: CDD12-II / CDD15-II  
Load: capacity: 1200kg / 1500kg  
Standard lift height: 2000-4000mm  
Fork length: 1070mm  
Battery voltage/capacity: 24V/270Ah



Model: CDD15-I / CDD20-I  
Load: capacity: 1500kg / 2000kg  
Standard lift height: 1600-5800mm / 2500-3000mm  
Fork length: 950mm / 1070mm  
Battery voltage/capacity: 24V/270Ah / 24V/280Ah

## E Counter Balanced Electric Stacker



Model: CDD12-I / CDD15-I  
Load: capacity: 1200kg / 1500kg  
Standard lift height: 2500-3500mm / 2000-4500mm  
Fork length: 950mm  
Battery voltage/capacity: 24V/240Ah / 24V/210Ah



Model: CDD12-II / CDD16-II  
Load: capacity: 1200kg / 1600kg  
Standard lift height: 2000-3600mm / 2000-4000mm  
Fork length: 1070mm  
Battery voltage/capacity: 24V/270Ah

## F Electric Reach Stacker



Model: CDD12-II / CDD14-II  
Load: capacity: 1300kg / 1400kg  
Standard lift height: 3800-5500mm  
Fork length: 1070mm  
Battery voltage/capacity: 24V/345Ah

## G MINI Three Wheel Electric Forklift



Model: CPD10S / CPD13S / CPD15S  
Load: capacity: 1000kg / 1300kg / 1500kg  
Standard lift height: 3000-4500mm  
Fork length: 950mm  
Battery voltage/capacity: 24V/300Ah / 24V/350Ah / 24V/400Ah

## H Order Picker



Model: OP5-JXM  
Load: capacity: 90-150kg  
Platform height max: 3000mm  
Working height max: 5000mm  
Battery voltage/capacity: 24V/200Ah



Model: CBD30JX-III  
Load: capacity: 1300kg  
Standard lift height: 300mm  
Fork length: 1220mm  
Battery voltage/capacity: 24V/560Ah



Model: OP515-III  
Load: capacity: 1500kg  
Standard lift height: 5000-9000mm  
Fork length: 1220mm  
Battery voltage/capacity: 24V/770Ah

## I Electric Self-propelled Scissor Lift



Model: SJPT  
Load: capacity: 230-450kg  
Platform height max: 5.8-11.8m  
Working height max: 7.8-13.8m  
Battery voltage/capacity: 24V/200Ah

## J AGV



## K Hand Pallet Truck



Model: DF20/25/30  
Load: capacity: 2000/2500/3000kg  
Overall fork width: 550/685mm  
Fork length: 1150/1220mm  
Max.fork lifting height: 195mm

Model: SAC20  
Load: capacity: 2000kg  
Overall fork width: 572/692mm  
Fork length: 1150/1220mm  
Max.fork lifting height: 200mm

## L Scissor lift Pallet Truck



Model: HLT10/15  
Load: capacity: 1000-1500kg  
Overall fork width: 520/680mm  
Fork length: 1100mm  
Max.fork lifting height: 800mm

## M Manual Table Lifters



Model: TF15/30/50/75  
Load: capacity: 150/300/500/750kg  
Max.fork lifting height: 720/880/900mm

## N Manual Stacker



Model: SFH10/15  
Load: capacity: 1000/1500kg  
Standard lift height: 1600-2500mm  
Overall fork width: 1300-740/550mm  
Fork length: 900/1150mm



# JAC FORKLIFT GMM

Move forward



CQD15L



CQD16-20



CPD 13-35



AGV



QD 20-60



BDD 1.0-3.0T

**MATERIAL HANDLING EXPERTS**  
**FROM AUTOMOTIVE QUALITY**



contact@gmm-mg.com  
Route du Pape Alarobia (face sanifer)  
+261 32 03 111 33 / +261 32 03 111 34 / +261 32 03 111 36



Move forward





# JAC FORKLIFT

## Genuine Parts



Alternator



Brake drum



Brake shoe



Brake switch



Carbon brush



Combination switch



Cylinder repair kits



Exhaust pipe



Filter



Filter



Filter



Fuel injector



Fusible link wire



Gear pump



Hand brake



Hose .H.P



Instrument



Mast Cylinder



Micro switch



Oil pump



Oil seal



Oil sensor




Plate friction and separator



Rim



Roller



Starter motor



Starting switch



Steering cylinder



Tyre ass'y



Wheel Cylinder